CORRECTION

Open Access



Correction to: Histone isoform H2A1H promotes attainment of distinct physiological states by altering chromatin dynamics

Saikat Bhattacharya^{1,4,6}, Divya Reddy^{1,4}, Vinod Jani^{5†}, Nikhil Gadewal^{3†}, Sanket Shah^{1,4}, Raja Reddy^{2,4}, Kakoli Bose^{2,4}, Uddhavesh Sonavane⁵, Rajendra Joshi⁵, Duane Smoot⁷, Hassan Ashktorab⁸ and Sanjay Gupta^{1,4*}

Correction to: Epigenetics & Chromatin (2017) 10:48 https://doi.org/10.1186/s13072-017-0155-z

After publication of this article [1], it was noticed Duane Smoot and Hassan Ashktorab who made and provided the cell line HFE145 were not included in the author list. RNA obtained from this cell line was used in one qRT-PCR experiment (Fig. 2d of the published manuscript).

The author list and author details have herewith been updated in this correction.

We apologize for the inconvenience caused.

Author details

¹ Epigenetics and Chromatin Biology Group, Gupta Lab, Cancer Research Institute, Advanced Centre for Treatment, Research and Education in Cancer (ACTREC), Tata Memorial Centre, Kharghar, Navi Mumbai, MH 410210, India.² Integrated Biophysics and Structural Biology Lab, Cancer Research Institute, Advanced Centre for Treatment, Research and Education in Cancer (ACTREC), Tata Memorial Centre, Kharghar, Navi Mumbai, MH 410210, India. ³ BTIS, Cancer Research Institute, Advanced Centre for Treatment, Research and Education in Cancer (ACTREC), Tata Memorial Centre, Kharghar, Navi Mumbai, MH 410210, India.⁴ Homi Bhabha National Institute, Training School Complex, Anushakti Nagar, Mumbai, MH 400085, India.⁵ Bioinformatics Group, Centre for Development of Advanced Computing (C-DAC), University of Pune Campus, Pune, MH 411007, India.⁶ Stowers Institute for Medical Research, Kansas City, MO 64110, USA.⁷ Meharry Medical College, 1005 Dr DB Todd Jr Blvd, Nashville, TN 37208, USA.⁸ Department of Medicine, Howard University Cancer Center, 2041 Georgia Avenue, NW, Suite 220, NW, Washington, DC 20059, USA

The original article can be found online at https://doi.org/10.1186/s1307 2-017-0155-z.

*Correspondence: sgupta@actrec.gov.in

¹Vinod Jani and Nikhil Gadewal contributed equally to this work ¹ Epigenetics and Chromatin Biology Group, Gupta Lab, Cancer Research

Institute, Advanced Centre for Treatment, Research and Education

in Cancer (ACTREC), Tata Memorial Centre, Kharghar, Navi Mumbai, MH 410210. India

Full list of author information is available at the end of the article



© The Author(s) 2018. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 16 November 2018

Reference

 Bhattacharya S, Reddy D, Jani V, Gadewal N, Shah S, Reddy R, Bose K, Sonavane U, Joshi R, Gupta S. Histone isoform H2A1H promotes attainment of distinct physiological states by altering chromatin dynamics. Epigenet Chromatin. 2017;10(1):48. https://doi.org/10.1186/s13072-017-0155-z.